

AMPFIELD RECREATION GROUND Playground Inspection No. 2018 / 16

Auxiliary Items	OK?	Issues	Risk L/M/H	Time Scale
General Environment	Yes			
Floor surface	Yes			
Signs	Yes			
Gates	Yes			
Fences	No	A known problem. Loose fence post and damaged newel previously reported. To be fixed by special Lengthsman visit scheduled for 05/06/18	L	2 weeks
Benches	Yes			
Equipment	OK?	Issues	Risk L/M/H	Time Scale
2 x Cradle Swings	Yes			
2x Flat Swings	Yes			
Stepping Pods	Yes			
Spinning Pole	Yes			
Two Up One down slide unit	Yes			
See-Saw	Yes			
Springers (2)	Yes			
Inclusive rotating dish	Yes			
Super Rope – End Swinger Mini	Yes			

Date 27/05/18 **Time Completed** 12.00.

Weather Conditions Good

Additional Observations None

Signature Pete Edwards

AMPFIELD RECREATION GROUND INSPECTION No. 2018 / 16

Area	OK?	Issues	Risk L/M/H	Time Scale
Entrances	Yes			
Pavilion	Yes			
New Container	Yes			
Outfield	Yes			
Site Boundaries, Fences and Hedges	Yes			
Bins	Yes			

Weather Conditions Good

Additional Observations None

Signature Pete Edwards

Date 27/05/18